

Projeto	Planos de trabalhos/ modalidades identificadas	avaliador 1	avaliador 2	Soma av1 + av2	Média	Barema PIBIC	Total	1º Bolsa	2º Bolsa	3ª Bolsa
PVS2487-2026	1/IC	60	60	120	60,0	40,0	100,0	FUNCAP	-	-
PVS2452-2026	2/IC-IC	60	59,9	119,9	60,0	40,0	100,0	FUNCAP	CNPQ-IC	
PVS2578-2026	2/IC-IC	59,5	60	119,5	59,8	40,0	99,8	FUNCAP	CNPQ-IC	
PVS2485-2026	2/IC-IC	58	60	118	59,0	40,0	99,0	FUNCAP	CNPQ-IC	
PVE2448-2026	2/IC-IC	60	58	118	59,0	40,0	99,0	FUNCAP	CNPQ-IC	
PVS2421-2026	2/IC-IC	60	57,5	117,5	58,8	40,0	98,8	FUNCAP	CNPQ-IC	
PVE2435-2026	2/IC-IC	58	59	117	58,5	40,0	98,5	FUNCAP	CNPQ-IC	
PVH2547-2026	1/IC	57,5	59	116,5	58,3	40,0	98,3	FUNCAP	-	-
PVH2550-2026	1/IC	58	59	117	58,5	39,7	98,2	FUNCAP	-	-
PVS2449-2026	2/IC-IC	55	60	115	57,5	40,0	97,5	FUNCAP	CNPQ-IC	
PVL2519-2026	2/IC-AF	59	60	119	59,5	38,0	97,5	FUNCAP	CNPQ-AF	
PIA2571-2026	2/IC-IC	55	59,8	114,8	57,4	40,0	97,4	FUNCAP	CNPQ-IC	
PVS2444-2026	2/IC-IC	59,5	59	118,5	59,3	37,7	96,9	FUNCAP	CNPQ-IC	
PVS2457-2026	2/IC-IC	53,4	60	113,4	56,7	40,0	96,7	FUNCAP	CNPQ-IC	
PVS2500-2026	2/IC-IC	53	60	113	56,5	40,0	96,5	FUNCAP	CNPQ-IC	
PVE2477-2026	2/IC-IC	54	59	113	56,5	40,0	96,5	FUNCAP	CNPQ-IC	
PVS2461-2026	3/IC-IC-ICJ	57	55	112	56,0	40,0	96,0	FUNCAP	CNPQ-IC	CNPQ-ICJ
PVS2525-2026	2/IC-IC	54	58	112	56,0	40,0	96,0	FUNCAP	CNPQ-IC	
PVM2528-2026	2/IC-IC	54	58	112	56,0	40,0	96,0	FAPESEB	FAPESEB	
PVL2502-2026	2/IC-IC	57	60	117	58,5	37,3	95,8	FUNCAP	CNPQ-IC	
PVN2572-2026	2/IC-IC	60	51	111	55,5	40,0	95,5	FUNCAP	CNPQ-IC	
PVS2508-2026	2/IC-IC	54	57	111	55,5	40,0	95,5	FUNCAP	CNPQ-IC	
PVA2426-2026	2/IC-IC	55,5	56	111,5	55,8	39,7	95,4	FUNCAP	CNPQ-IC	
PVS2513-2026	3/AF-IC-ICJ	51	59,5	110,5	55,3	40,0	95,3	FUNCAP	CNPQ-AF	CNPQ-ICJ
PVH2425-2026	2/IC-IC	60	50,5	110,5	55,3	40,0	95,3	FUNCAP	CNPQ-IC	
PVM2445-2026	2/IC-IC	60	50,5	110,5	55,3	40,0	95,3	FAPESEB	FAPESEB	
PVS2590-2026	1/IC	54	56	110	55,0	40,0	95,0	FUNCAP	-	
PVE2587-2026	1/IC	54	56	110	55,0	40,0	95,0	FUNCAP	-	
PVM2451-2026	2/IC-IC	60	50	110	55,0	40,0	95,0	FAPESEB	FAPESEB	
PVM2585-2026	1/IC	58	53	111	55,5	39,3	94,8	FAPESEB	-	
PVN2523-2026	2/IC-IC	51,5	58	109,5	54,8	40,0	94,8	FUNCAP	CNPQ-IC	
PVS2470-2026	2/IC-IC	55	59	114	57,0	37,7	94,7	FUNCAP	CNPQ-IC	
PVH2427-2026	2/IC-IC	56	60	116	58,0	36,7	94,7	FUNCAP	CNPQ-IC	
PVH2551-2026	1/AF	60	56	116	58,0	36,7	94,7	CNPQ-AF	-	
PVN2440-2026	2/IC-IC	59	60	119	59,5	35,0	94,5	FUNCAP	CNPQ-IC	
PVS2458-2026	1/IC	57	59,8	116,8	58,4	35,7	94,1	FUNCAP	-	
PVN2570-2026	2/IC-IC	57	51	108	54,0	40,0	94,0	FUNCAP	CNPQ-IC	
PVE2596-2026	2/IC-IC	52	56	108	54,0	40,0	94,0	FUNCAP	CNPQ-IC	
PVH2486-2026	2/IC-IC	59	58	117	58,5	35,3	93,8	FUNCAP	CNPQ-IC	
PVE2565-2026	2/IC-IC	53	54,5	107,5	53,8	40,0	93,8	FUNCAP	CNPQ-IC	
PVH2594-2026	1/IC	47,5	60	107,5	53,8	40,0	93,8	FUNCAP	-	
PVS2505-2026	2/IC-IC	57	49,9	106,9	53,5	40,0	93,5	FUNCAP	CNPQ-IC	
PVA2601-2026	1/IC	60	60	120	60,0	33,3	93,3	FUNCAP	-	
PVE2593-2026	2/IC-IC	56	57	113	56,5	36,7	93,2	FUNCAP	CNPQ-IC	
PVE2462-2026	2/IC-IC	54	56,5	110,5	55,3	37,7	92,9	FUNCAP	CNPQ-IC	
PVM2415-2026	1/IC	56	53	109	54,5	38,3	92,8	FAPESEB	-	
PVN2526-2026	2/AF-IC	48,5	57	105,5	52,8	40,0	92,8	FUNCAP	CNPQ-AF	
PVR2499-2026	2/AF-IC	53	52,5	105,5	52,8	40,0	92,8	FUNCAP	CNPQ-AF	
PVS2441-2026	1/IC	58	59,4	117,4	58,7	34,0	92,7	FUNCAP	-	
PVN2424-2026	2/IC-IC	56,5	57,5	114	57,0	35,7	92,7	FUNCAP	CNPQ-IC	
PVN2419-2026	1/IC	59,5	45,5	105	52,5	40,0	92,5	FUNCAP	-	
PVS2467-2026	2/IC-IC	57	48	105	52,5	40,0	92,5	FUNCAP	CNPQ-IC	
PVS2504-2026	2/IC-IC	52	60	112	56,0	36,3	92,3	CNPQ-IC		
PVS2473-2026	1/IC	56	54	110	55,0	36,7	91,7	CNPQ-IC		
PVS2520-2026	2/AF-IC	43	60	103	51,5	40,0	91,5	CNPQ-IC	CNPQ-AF	
PVR2529-2026	2/IC-IC	52	51	103	51,5	40,0	91,5	CNPQ-IC		
PVL2552-2026	2/IC-IC	60	56	116	58,0	33,3	91,3	CNPQ-IC		
PVR2588-2026	2/IC-IC	54	48	102	51,0	40,0	91,0	CNPQ-IC		
PVS2463-2026	2/IC-IC	50	55,8	105,8	52,9	38,0	90,9	UNILAB-IC		
PVA2592-2026	2/IC-IC	60	55,5	115,5	57,8	33,0	90,8	UNILAB-IC		
PVN2518-2026	1/IC	55	52	107	53,5	36,7	90,2	UNILAB-IC	-	
PVN2416-2026	1/IC	58	52,5	110,5	55,3	34,7	89,9	UNILAB-IC	-	
PVR2566-2026	1/IC	59	48	107	53,5	36,3	89,8	UNILAB-IC	-	

PVH2586-2026	1/IC	56	59	115	57,5	32,0	89,5	UNILAB-IC	-
PVM2609-2026	3/IC-IC-ICJ	60	59	119	59,5	30,0	89,5	FAPESEB	FAPESEB CNPQ-ICJ
PVS2503-2026	2/IC-IC	60	54	114	57,0	32,3	89,3	UNILAB-IC	-
PVM2536-2026	2/IC-IC	52	59,5	111,5	55,8	33,3	89,1	FAPESEB	-
PVS2468-2026	1/IC	56	56	112	56,0	33,0	89,0	UNILAB-IC	-
PVS2418-2026	2/IC-IC	59	49	108	54,0	34,7	88,7	UNILAB-IC	-
PVH2543-2026	2/IC-IC	52,5	60	112,5	56,3	32,3	88,6	UNILAB-IC	-
PVS2537-2026	2/IC	55	60	115	57,5	30,7	88,2	UNILAB-IC	-
PVH2591-2026	1/IC	52	53	105	52,5	35,7	88,2	UNILAB-IC	-
PVS2510-2026	2/IC-IC	52	55	107	53,5	33,7	87,2	UNILAB-IC	-
PVS2608-2026	1/IC	44	57	101	50,5	36,7	87,2	UNILAB-IC	-
PVE2431-2026	2/IC-IC	58	59	117	58,5	28,7	87,2	UNILAB-IC	-
PVM2442-2026	2/IC-IC	53,2	60	113,2	56,6	29,3	85,9	FAPESEB	-
PVM2599-2026	2/IC-IC	41,4	57	98,4	49,2	36,3	85,5	FAPESEB	-
PVR2553-2026	1/IC	50	49,5	99,5	49,8	35,7	85,4	UNILAB-IC	-
PVS2447-2026	2/IC-IC	60	33	93	46,5	38,3	84,8	UNILAB-IC	-
PVS2556-2026	2/IC-IC	52	43	95	47,5	37,0	84,5	UNILAB-IC	-
PVS2464-2026	2/IC-IC	54	60	114	57,0	27,3	84,3	UNILAB-IC	-
PVA2439-2026	1/IC	55	55	110	55,0	29,3	84,3	UNILAB-IC	-
PVS2555-2026	2/IC-IC	54	51	105	52,5	31,7	84,2	UNILAB-IC	-
PVM2496-2026	2/AF-IC	55,5	54,6	110,1	55,1	29,0	84,1	FAPESEB	CNPQ-AF
PVR2533-2026	2/IC-IC	53,5	51	104,5	52,3	31,7	83,9	UNILAB-IC	-
PVE2506-2026	2/IC-IC	46	55	101	50,5	33,3	83,8	UNILAB-IC	-
PVN2607-2026	3/IC-ICJ-ICJ	55	46,5	101,5	50,8	33,0	83,8	UNILAB-IC	CNPQ-ICJ
PVA2535-2026	2/IC-IC	60	55	115	57,5	25,7	83,2	UNILAB-IC	-
PVA2558-2026	1/IC	59	57	116	58,0	25,0	83,0	UNILAB-IC	-
PVS2562-2026	2/AF-AF	32	54	86	43,0	39,7	82,7	CNPQ-AF	CNPQ-AF
PVN2575-2026	2/IC-IC	53,5	52	105,5	52,8	29,3	82,1	UNILAB-IC	-
PIH2530-2026	2/IC-IC	56	56	112	56,0	26,0	82,0	UNILAB-IC	-
PVR2517-2026	3/IC-IC-ICJ	53	56	109	54,5	27,3	81,8	UNILAB-IC	CNPQ-ICJ
PVE2539-2026	1/IC	46	52	98	49,0	32,7	81,7	UNILAB-IC	-
PVS2545-2026	3/IC-IC-ICJ	42,5	53	95,5	47,8	33,7	81,4	UNILAB-IC	CNPQ-ICJ
PVL2492-2026	2/IC-IC	58,5	51,9	110,4	55,2	26,0	81,2	UNILAB-IC	-
PVA2476-2026	2/IC-IC	56	56	112	56,0	25,0	81,0	UNILAB-IC	-
PVA2489-2026	1/IC	60	58	118	59,0	21,7	80,7	UNILAB-IC	-
PVS2511-2026	4/AF-IC-IC-ICJ	60	60	120	60,0	20,0	80,0	UNILAB-AF	CNPQ-ICJ
PVL2495-2026	2/IC	48	50	98	49,0	31,0	80,0	UNILAB-IC	-
PVM2450-2026	1/IC	56	59	115	57,5	22,0	79,5	FAPESEB	-
PVM2577-2026	2/IC	48	50	98	49,0	30,3	79,3	FAPESEB	-
PVR2490-2026	2/AF-IC	53	42	95	47,5	31,7	79,2	UNILAB-AF	-
PVH2595-2026	3/AF-IC-ICJ	46,5	51	97,5	48,8	30,3	79,1	UNILAB-AF	CNPQ-ICJ
PVN2423-2026	2/IC-IC	50	58	108	54,0	25,0	79,0	UNILAB-IC	-
PVN2611-2026	2/IC-IC	42	59	101	50,5	28,3	78,8	UNILAB-IC	-
PVR2471-2026	1/IC	47	52	99	49,5	29,3	78,8	UNILAB-IC	-
PVR2475-2026	3/AF-IC-ICJ	50,9	57	107,9	54,0	24,7	78,6	UNILAB-AF	CNPQ-ICJ
PVN2548-2026	2/IC-IC	45,1	52	97,1	48,6	30,0	78,6	UNILAB-IC	-
PVE2603-2026	1/IC	54	57	111	55,5	23,0	78,5	UNILAB-IC	--
PVN2563-2026	1/IC	45	54	99	49,5	28,3	77,8	UNILAB-IC	--
PVH2546-2026	1/IC	60	49,5	109,5	54,8	23,0	77,8	UNILAB-IC	--
PVN2542-2026	2/IC-IC	50,8	48	98,8	49,4	28,0	77,4	UNILAB-IC	-
PVE2420-2026	1/IC	52	37	89	44,5	31,7	76,2	UNILAB-IC	-
PVM2582-2026	1/IC	60	60	120	60,0	16,0	76,0	FAPESEB	-
PVR2581-2026	4/IC-IC-IC-IC	42,5	60	102,5	51,3	24,3	75,6	UNILAB-IC	-
PVS2540-2026	2/IC-IC	60	55	115	57,5	17,7	75,2	UNILAB-IC	-
PVN2512-2026	2/IC-IC	50,1	47,5	97,6	48,8	26,3	75,1	UNILAB-IC	-
PVN2584-2026	3/IC-IC-ICJ	52,5	45,5	98	49,0	25,3	74,3	UNILAB-IC	-
PVR2501-2026	2/IC-IC	47	48,2	95,2	47,6	26,7	74,3	UNILAB-IC	-
PVR2538-2026	2/AF-IC	48	53,5	101,5	50,8	23,3	74,1	UNILAB-AF	-
PVR2482-2026	1/IC	56	43	99	49,5	24,3	73,8	UNILAB-IC	-
PVN2531-2026	1/IC	56	59	115	57,5	16,0	73,5	UNILAB-IC	-
PVE2589-2026	1/IC	58	55,5	113,5	56,8	16,7	73,4	UNILAB-IC	-
PVN2454-2026	1/IC	45,1	49,5	94,6	47,3	25,3	72,6	UNILAB-IC	-
PVE2598-2026	2/IC-IC	58,5	47	105,5	52,8	18,0	70,8	UNILAB-IC	-
PVE2605-2026	2/IC-IC	60	46	106	53,0	17,7	70,7	UNILAB-IC	-
PVS2580-2026	1/IC	45	52,5	97,5	48,8	21,0	69,8	UNILAB-IC	-
PVH2602-2026	3/AF-IC-ICJ	57	60	117	58,5	10,7	69,2	UNILAB-AF	-
PVN2509-2026	2/IC-IC	54	53,5	107,5	53,8	15,3	69,1	UNILAB-IC	-
PVS2478-2026	1/IC	55	60	115	57,5	11,3	68,8	UNILAB-IC	-

PVM2480-2026	2/IC-IC	47,6	56	103,6	51,8	16,7	68,5	FAPESB	
PVH2428-2026	1/IC	48	56	104	52,0	15,7	67,7	UNILAB-IC	-
PVN2497-2026	2/AF-IC	51,5	55	106,5	53,3	14,0	67,3	UNILAB-AF	
PVE2532-2026	1/IC	39	37	76	38,0	29,0	67,0	UNILAB-IC	-
PVN2436-2026	3/IC-IC-ICJ	57	48	105	52,5	13,7	66,2	UNILAB-IC	
PVH2567-2026	2/IC-IC	50	56	106	53,0	12,7	65,7	UNILAB-IC	
PVN2524-2026	1/IC	58,5	55,5	114	57,0	8,3	65,3	UNILAB-AF	-
PVH2465-2026	1/IC	60	60	120	60,0	5,3	65,3	UNILAB-AF	-
PVS2474-2026	2/IC-IC	44	60	104	52,0	13,0	65,0	UNILAB-AF	
PVR2568-2026	2/IC	59,8	51	110,8	55,4	8,3	63,7		
PVM2564-2026	1/IC	40,3	43	83,3	41,7	22,0	63,7	FAPESB	-
PVM2493-2026	1/IC	46,5	39,5	86	43,0	20,3	63,3	FAPESB	-
PVR2515-2026	1/IC	47	39	86	43,0	16,0	59,0		-
PVA2541-2026	1/IC	44,5	44	88,5	44,3	12,3	56,6		-
PVE2488-2026	3/IC-IC-ICJ	50	42,5	92,5	46,3	9,3	55,6		
PVR2507-2026	2/IC-IC	34,5	44	78,5	39,3	9,3	48,6		
PVN2494-2026	3/AF-IC-ICJ	38,5	48	86,5	43,3	0,0	43,3	UNILAB-AF	